
Fact.notebook May 30, 2013

STEPS TO FACTORING

- 1. Check for Greatest Common Factor (GCF).
- 2. Count the terms-



Always check to see that your factors are correct by multiplying

STEPS TO FACTORING

1. First, and always, look for a Greatest Common Factor (GCF).

$$5ab^2 - 10a^2b^2 + 25a^2b = 5ab (b - 2ab + 5a)$$

- 2. Determine what type of polynomial you have; if a GCF was found, determine what type of polynomial is left in the brackets.
 - a) If it is a binomial, then check to see if it is a Difference of Squares.

$$25x^2 - 64y^2 = (5x + 8y)(5x - 8y)$$

If it is not, STOP, you are done factoring.

b) If it is a trinomial, then see if it is an "Easy" trinomial

$$Ax^2 + Bx + C$$

where $A = 1$

$$x^2 - 7x - 30 = (x - 10)(x + 3)$$

OR a Perfect Square trinomial

$$Ax^2 + Bx + C$$
 where
A, C = perfect squares

$$16x^2 - 48xy + 36y^2 = (4x - 6y)^2$$

OR requires Decomposition.

$$Ax^2 + Bx + C$$
 where $A \neq 1$ or a perfect square

$$6x^{2} - 13x - 5 = 6x^{2} - 15x + 2x - 5$$

= 3x (2x - 5) + 1 (2x - 5)
= (2x - 5) (3x + 1)

If none of these are possible, STOP, you are done factoring.

c) If it is a four term polynomial, then try to factor by grouping.

$$3x^{2} - 4x - 6x + 8 = x (3x - 4) - 2 (3x - 4)$$

= $(3x - 4) (x - 2)$

If this cannot be done, STOP, you are done factoring.

- 3. Keep factoring until you can no longer factor.
- 4. Check your answers by multiplying the factors together to see if you get the question you started with.

EXAMPLE 4 Using reasoning to write an equation from its roots

Tori says she solved a quadratic equation by graphing. She says the roots were -5 and 7. How can you determine an equation that she might have solved?

Philip's Solution

x = -5 or x = 7

x + 5 = 0 x - 7 = 0

One factor is x + 5. The other factor is x - 7.

(x+5)(x-7) = 0 $x^2 + 5x - 7x - 35 = 0$

 $x^2 - 2x - 35 = 0$

The x-intercepts of the quadratic function are the roots of the equation.

I decided to use the roots to help me write the factors of the equation.

I wrote the factors as a product. Since each root is equal to 0, their product is also equal to 0.

I simplified to write the equation in standard form.

FM11-7s1.gsp

7s2e2 final.mp4

fm7s2-p8.tns

FM11-7s3.gsp

fm7s3-p1.tns

FM11-7s3-2.gsp

fm7s3-p2.tns

fm7s3-p8.tns

FM11-7s4.gsp

7s4e3 final.mp4

fm7s4-p11.tns

7s5e2 finalt.mp4